DB Saucier Tree Farm

Mississippi, 200 AC +/-





D Boundary



DB Saucier Tree Farm Mississippi, 200 AC +/-





D Boundary



DB Saucier Tree Farm Mississippi, 200 AC +/-





Boundary ----- Stream, River/Creek

Water Body



DB Saucier Tree Farm

Mississippi, 200 AC +/-



D Boundary

250



500

1500 2000ft

1000

DB Saucier Tree Farm Mississippi, 200 AC +/-





D Boundary



|D Boundary 197.89 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
PtB	Prentiss loam, 2 to 5 percent slopes	57.88	29.25	0	52	2e
SuD	Susquehanna silt loam, 5 to 12 percent slopes	52.09	26.33	0	53	6e
PhA	Pheba silt loam, 0 to 2 percent slopes	19.0	9.6	0	40	3w
Bf	Bibb silt loam	18.96	9.58	0	52	5w
BeD	Benndale fine sandy loam, 8 to 12 percent slopes	15.22	7.69	0	50	4e
BeC	Benndale fine sandy loam, 5 to 8 percent slopes	13.08	6.61	0	53	3e
PEC	Petal-Susquehanna-Benndale association, rolling	8.74	4.42	0	53	4e
W	Water	5.22	2.64	0	-	-
BG	Bibb and Jena soils, frequently flooded	3.79	1.92	0	49	5w
SuB	Susquehanna silt loam, 1 to 5 percent slopes	3.28	1.66	0	50	4e
MbB	McLaurin loamy sand, 2 to 5 percent slopes	0.63	0.32	0	50	2e
TOTALS		197.8 6(*)	100%	-	49.61	3.88

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'								
Forestry								
Limited					+			
Moderate								
Intense								
Limited								
Moderate								
Intense								
Very Intense								

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water