

N/2 Section 32, Blk 4T, T&NO Hansford County TX Hansford County, Texas, 310 AC +/-











200 400 600 800ft

| Boundary 307.58 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | СРІ | NCCPI | CAP |
|-----------|---|---------------|-------|-----|-------|------|
| СоВ | Conlen clay loam, 1 to 3 percent slopes | 180.8 7 | 58.8 | 0 | 30 | 4e |
| ВрА | Bippus clay loam, 0 to 1 percent slopes, frequently flooded, cool | 45.23 | 14.7 | 0 | 52 | 5w |
| PGE | Potter soils, 3 to 20 percent slopes, cool | 43.61 | 14.18 | 0 | 21 | 7e |
| SyB | Sunray loam, 1 to 3 percent slopes | 25.7 | 8.36 | 0 | 51 | 3e |
| OsB | Oslo silty clay loam, 1 to 3 percent slopes | 8.13 | 2.64 | 0 | 56 | 3e |
| OsA | Oslo silty clay loam, 0 to 1 percent slopes | 2.82 | 0.92 | 0 | 56 | 2s |
| PMG | Potter-Mobeetie association, 8 to 45 percent slopes, cool | 1.22 | 0.4 | 0 | 5 | 7e |
| TOTALS | | 307.5 8(*) | 100% | - | 34.54 | 4.46 |

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.



- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water

