

ATTENTION OWNER: Confidentiality
Privilege Notice on an reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0630

1) OWNER John O. Kveton ADDRESS Rt 2 Box 408 Port Lavaca, TX 77979
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: 172237 Cypress Creek Rd, Comfort, TX 78013 GRID # 57-57-8
County Kerr (Street, RFD or other) (City) (State) (Zip) N 30° 00.651'; W 098°

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) 56.993'

6) WELL LOG:
Date Drilling: _____
Started 07-09-97
Completed 07-15-97

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>8 1/2"</u>	<u>Surface</u>	<u>310</u>

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	02	flint rock & black topsoil
02	44	yellow caliche & limestone layers
44	46	gray caliche limestone
46	51	dark yellow limestone & clay
51	62	gray shaley limestone
62	74	blue gray sticky shale
74	85	gray limestone sandy (1' pocket @76')
85	96	gray chalky limestone
96	102	brown sandy limestone
102	112	light gray tan limestone
112	128	dark gray chalky limestone
128	136	light gray limestone
136	170	chalky gray limestone
170	182	dark gray brown limestone

(Use reverse side of Well Owner's copy, if necessary) **(over)**

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
		<u>5 1/2" SDR 17 pvc</u>	<u>0</u>	<u>218</u>	
		<u>total 220'</u>			

9) CEMENTING DATA [Rule 338.44(1)] 3.25 yds total
Cemented from 0 ft. to 220 ft. No. of sacks used _____
ft. to _____ ft. No. of sacks used _____
Method used pressure cementing
Cemented by H.W. Schwope & Sons, Inc.
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 114 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other 12SB15 Goulds submersible
Depth to pump bowls, cylinder, jet, etc., 180' 1 1/4" #80 pvc
21' 1 1/4" galv pipe

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 80 gpm with 310 ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit 'REPORT OF UNDESIRABLE WATER'
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME H.W. Schwope & Sons, Inc. WELL DRILLER'S LICENSE NO. 1566
(Type or print)

ADDRESS P.O. Box 364 Boerne, TX 78006
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Advisory Council and the Texas Natural Resource Conservation Commission are concerned that some persons having wells drilled may not be aware of the confidentiality provisions of Section 202.006 of the Texas Water Code, the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening or otherwise altering a water well within the state shall make and keep a legible and accurate well log as prescribed with the department rule on forms prescribed by the department. Not later than the fifth day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Kueton - page 2

From (ft.)	To (ft.)	Description and color of formation material
182	187	gray green limestone
187	195	darker gray limestone
195	201	soft dark blue sandy shale
201	207	light blue green sandy shale & limestone
207	218	gray pale green limestone
218	224	conglomerate quartz sand & blue green shale w/pale green sandstone
224	228	white sandy limestone
228	232	quartz sand pocket w/little blue green shale
232	244	white to light limestone
244	256	tan limestone w/quartz pocket (252)
256	295	pale green sandstone & some light gray sand
295	301	gray tan sandstone w/oyster shell & coal
301	310	fine gray sandstone w/pocket of fine gray sand (308-309)



H. W. SCHWOPE & SONS, INC.

WELL DRILLING
All Brands of Pumps
Storage Tanks & Water Conditioners
Sales & Service

P. O. BOX 364 • BOERNE, TEXAS 78006



10/26/23

M/M KUETON RESIDENCE

121-B Bartel Rd.

WORK DONE ON WELL:

Past Due Accounts Subject to 14% Service Charge

Capacitors & Relays put in system

2018 - 2020 - 2023

2017-

New pressure tank installed
V-250 80 gal.

2009 - 80 ft sub 80 PVC pipe replaced
2011

1 new pressure switch

The submersible pump has never
been changed out by our company.

It is 26 years old.

note: other well work could have
been done - we have no record
of that is the case.

Copy of well log attached