



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

| | | | | | | | | | |
|-----------------|-------------------|------------|------------|-----------|------------|------------|------------|----------|----------|
| Well Tag | POD Number | Q64 | Q16 | Q4 | Sec | Tws | Rng | X | Y |
| | LV 00206 S | 1 | 3 | 4 | 13 | 23S | 18W | 156513 | 3579649* |

Driller License: 156 **Driller Company:** CHILDRESS, CHARLES R.
Driller Name: CHILDRESS, CHARLES R.

Drill Start Date: 07/08/1966 **Drill Finish Date:** 07/14/1966 **Plug Date:**
Log File Date: 08/11/1967 **PCW Rcv Date:** **Source:** Shallow
Pump Type: **Pipe Discharge Size:** **Estimated Yield:**
Casing Size: 14.00 **Depth Well:** 320 feet **Depth Water:** 85 feet

| Water Bearing Stratifications: | Top | Bottom | Description |
|---------------------------------------|------------|---------------|-------------------------------|
| | 100 | 105 | Sandstone/Gravel/Conglomerate |
| | 215 | 220 | Sandstone/Gravel/Conglomerate |
| | 260 | 265 | Sandstone/Gravel/Conglomerate |
| | 295 | 320 | Sandstone/Gravel/Conglomerate |

| Casing Perforations: | Top | Bottom |
|-----------------------------|------------|---------------|
| | 295 | 320 |

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

3/3/18 6:10 AM

POINT OF DIVERSION SUMMARY