



## FIELD NOTE DESCRIPTION

## 89.853 ACRES

ALL that certain tract of land in Anderson County, Texas, in the MANUEL RIONDA SURVEY, Abstract 58, being comprised of Tract One called 100.00 acres and Tract Two called 1.699 acres in deed from Joan Niece to Frances D. Davis dated November 29, 2017, recorded in Volume 2588, Page 469 of the Anderson County Official Public Records (O.P.R.) and being more particularly described as follows: w/cap = plastic cap marked CL SMITH RPLS 4181

BEGINNING at a 1/2" iron rod w/cap set at the North corner of said called 100.00 acre tract and the West corner of the Second Tract called 112.17 acres in Volume 2305, Page 381 O.P.R., being in the Southeast line of the Third Tract called 80 acres in Volume 2305, Page 381 O.P.R., also being in the Northeast line of said RIONDA SURVEY with the intersection with the Southeast line of the FRANCIS BETICK SURVEY, Abstract 105, same being the West corner of the WILLIAM HERRIN SURVEY, Abstract 360. A cross-tie fence corner bears S 37° 54' 25" E, 22.2 feet for reference.

S 37° 54' 25" E, with the Southwest line of said THENCE; 112.17 acre tract, the Southwest line of said HERRIN SURVEY and Northeast line of said RIONDA SURVEY, at 717.7 feet pass a 10" wood post fence corner marking the Southwest corner of said 112.17 acre tract and Northwest corner of 117.877 acres in Volume 2390, Page 184 O.P.R., being the Southwest corner of the HERRIN SURVEY and Northwest corner of the ROBERT EARL SURVEY, Abstract 256, continuing the same course with the Southwest line of said 117.877 acre tract, the Southwest line of the EARL SURVEY and Northeast line of the RIONDA SURVEY a total distance of 3727.71 feet to a  $1/2^{\text{m}}$  iron rod found marking the South corner of the 117.877 acre tract in the Northwest line of 53.314 acres in Volume 2369, Page 11 O.P.R., being the Southeast corner of the RIONDA SURVEY and an interior corner of said EARL SURVEY in the Northwest line of the JOSE AGUILERA GRANT, Abstract 5. A 10" wood post fence corner bears N 37° 54' 25" W, 25.7 feet for reference.

THENCE;

S 52° 50" 16" W, with the Northwest line of the 53.314 acre tract, Northwest line of the EARL SURVEY, Northwest line of the AGUILERA GRANT and Southeast line of the RIONDA SURVEY 485.16 feet to a 1/2" iron rod set at the Northeast corner of a 13.15 acre tract in Instrument No. 2020-3603 O.P.R. A 1/2" iron rod found marking the Southwest corner of said 53.314 acre tract bears S 52° 50' 16" W, 1011.92 feet for reference and found a 1/2" iron rod at the occupied Northeast corner of said 13.15 acre tract N 55° 21' 12" W, 23.03 feet for reference.

THENCE; In a Northwesterly direction generally along a fence with the Northeast line of said 13.15 acre tract, the Northeast line of 4.184 acres in Volume 1224, Page 650 O.P.R., the Northeast line of 1.696 acres in Volume 1299, Page 245 O.P.R. and the Northeast line of 8.045 acres in Volume 1532, Page 469 O.P.R. as follows:

N 55° 21' 12" W, 534.78 feet to an 8" Elm Tree. N 56° 09' 50" W, 753.34 feet to a 1/2" iron rod found.

N 56° 34' 26" W, 540.74 feet to a 1/2" iron rod w/cap found.

N  $56^{\circ}$  25' 26" W, 270.12 feet to a 1/2" iron rod w/cap found.

N 55° 51' 48" W, 247.53 feet to a 1/2" iron rod w/cap set in the center of a spring branch.

N  $56^{\circ}$  11' 50" W, 738.26 feet to a 1/2" iron rod w/cap set.

N  $58^{\circ}$  03' 59" W, 308.02 feet to a 1/2" iron rod found marking the Northwest corner of said 8.045 acre tract and the East corner of said 1.699 acre tract.

THENCE; S 42° 44' 28" W, with the Northwest line of the 8.045 acre tract and the Northwest line of a 4.00 acre tract in Volume 1663, Page 479 O.P.R. 370.83 feet to a 1/2" iron rod found in the center of oiled County Road 2311. Found a 1/2" iron rod N 42° 44' 28" E, 19.88 feet for reference.

THENCE; N 47° 15' 30" W, in the center of the county road 211.73 feet to a 1/2" iron rod w/cap set in the Southeast edge of oiled County Road 2304. Found a 5/8" iron rod N 42° 35' 54" E, 20.00 feet for reference.

THENCE; N 42° 35' 54" E, with the East margin of County Road 2304 a distance of 326.51 feet to a 1/2" iron rod w/cap set at the North corner of said 1.699 acre tract in the Southwest line of said 100.00 acre tract.

THENCE; N 59° 02' 13" W, with the Northeast end of the county road 17.46 feet to a 1/2" iron rod w/cap set at the West corner of said 100.00 acre tract in the Southeast line of 20 acres in Volume 902, Page 172 O.P.R. and in the Southeast line of said BETICK SURVEY. A 1/2" iron rod found marking the South corner of a 4.99 acre tract in Instrument No. 2020-3972 O.P.R. bears S 42° 17' 50" W, 1157.17 feet for reference.

THENCE; N 42° 17' 50" E, with the Southeast line of said 20 acre tract, the Southeast line of the First Tract called 41.84 acres and said Third Tract called 80 acres in Volume 2305, Page 381 O.P.R. and the Southeast line of the BETICK SURVEY 1663.28 feet to the PLACE OF BEGINNING containing 89.853 acres including 0.097 acre in County Road 2311.

Bearings are based on Grid North referenced to the Texas State Plane Coordinate System, Central Zone(NAD 83) per GPS observations.

I hereby certify that these field notes are an accurate representation of a survey made on the ground under my supervision in April, 2023. A map (D-1-1207) shows additional details and is a part of this survey.

CARROLL L. SMITH
Registered Professional Land Surveyor

State of Texas No. 4181 Firm No. 10046800