





Scott County, Mississippi, 176 AC +/-





Boundary

Scott County, Mississippi, 176 AC +/-





Boundary

| All Polygons 174.3 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
RuC2	Ruston fine sandy loam, 5 to 8 percent slopes, eroded	13.1	7.49	3e
SmD2	Smithdale fine sandy loam, 8 to 15 percent slopes, eroded	9.6	5.52	4e
SmF2	Smithdale fine sandy loam, 15 to 35 percent slopes, eroded	66.9	38.37	7e
RuB	Ruston fine sandy loam, 2 to 5 percent slopes	0.2	0.11	2e
SwD2	Sweatman fine sandy loam, 5 to 15 percent slopes, eroded	4.0	2.29	7e
КрВ	Kipling silty clay loam, 2 to 5 percent slopes	19.3	11.08	3e
KpC2	Kipling silty clay loam, 5 to 8 percent slopes, eroded	20.8	11.93	4e
KpD2	Kipling silty clay loam, 8 to 12 percent slopes, eroded	13.7	7.89	6e
Ur	Urbo silty clay loam, 0 to 2 percent slopes, occasionally flooded, blackland prairie	26.7	15.33	2w
TOTALS		174.3	100%	4.88

161.4 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
RuC2	Ruston fine sandy loam, 5 to 8 percent slopes, eroded	7.3	4.53	3e
SmD2	Smithdale fine sandy loam, 8 to 15 percent slopes, eroded	2.4	1.51	4e
SmF2	Smithdale fine sandy loam, 15 to 35 percent slopes, eroded	66.9	41.44	7e
RuB	Ruston fine sandy loam, 2 to 5 percent slopes	0.2	0.12	2e
SwD2	Sweatman fine sandy loam, 5 to 15 percent slopes, eroded	4.0	2.47	7e
КрВ	Kipling silty clay loam, 2 to 5 percent slopes	19.3	11.97	3e
KpC2	Kipling silty clay loam, 5 to 8 percent slopes, eroded	20.8	12.89	4e
KpD2	Kipling silty clay loam, 8 to 12 percent slopes, eroded	13.7	8.52	6e
Ur	Urbo silty clay loam, 0 to 2 percent slopes, occasionally flooded, blackland prairie	26.7	16.55	2w
TOTALS		161.4	100%	4.99

12.9 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
SmD2	Smithdale fine sandy loam, 8 to 15 percent slopes, eroded	7.2	55.59	4e
RuC2	Ruston fine sandy loam, 5 to 8 percent slopes, eroded	5.7	44.41	3e
TOTALS		12.9	100%	3.56

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'						•		
Forestry		٠				•	•	
Limited			•		(0)	•	0.0	
Moderate					(0)	•		
Intense	(0)		•					
Limited								
Moderate		•						
Intense								
Very Intense								

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water